

11/08/00



JC952 U.S. PTO

11-09-00

A

**UTILITY
PATENT APPLICATION
TRANSMITTAL***(Only for new nonprovisional
applications under 37 CFR 1.53(b))*

Title of Invention

METHOD AND SYSTEM FOR PROVIDING
DYNAMIC AND REAL-TIME AIR TRAVEL
INFORMATION

Named Inventor(s)

Jeffrey Mark Bertram, Albert Edward Houck III

Attorney Docket

16600.105005

Express Mail Label No.

EE859731846US

APPLICATION ELEMENTSAssistant Commissioner of Patents
ADDRESS TO: Box Patent Application
Washington, D.C. 20231**ACCOMPANYING APPLICATION PARTS**


1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☐ Applicant claims small entity status. See 37 CFR 1.27.
3. ☒ Specification, Claims,
and Abstract Total Pages 24
4. ☒ Drawings Total Sheets 10
5. Oath or Declaration Total Pages 2
 - a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from prior application (37 CFR 1.63(d))
*(for continuation/divisional with Box 17
completed)*
 - (i) ☐ **DELETION OF INVENTOR(S)**
Signed statement attached deleting
inventor(s) named in the prior
application, see 37 CFR 1.63(d)(2)
and 1.33(b).
6. ☐ Application Data Sheet. See 37 CFR 1.76.
7. ☐ CD-ROM or CD-R in duplicate, large table or
Computer Program *(Appendix)*
8. Nucleotide and/or Amino Acid Sequence
Submission *(if applicable, all necessary)*
 - a. ☐ Computer Readable Form (CRF)
 - b. Specification Sequence Listing on:
 - i. ☐ CD-ROM or CD-R (2 copies); or
 - ii. ☐ paper
 - c. ☐ Statement verifying identity of above
copies

9. ☒ Assignment Papers (cover sheet & document(s))
10. ☐ 37 CFR 3.73(b) Statement
(when there is an assignee)
 - ☐ Power of Attorney by assignee
11. ☐ English Translation Document *(if applicable)*
12. ☐ Information Disclosure Statement (IDS)
PTO-1449
 - ☐ Copies of IDS Citations
13. ☐ Preliminary Amendment
14. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
15. ☐ Certified Copy of Priority Document(s)
16. ☒ Other: checks for \$1140 and \$40

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No:
Prior application information: Examiner: Group/Art Unit:

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 5b, is considered as being part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

18. CORRESPONDENCE ADDRESS:

W. Scott, Petty Esq.
KING & SPALDING
45th Floor
191 Peachtree Street, N.E.
Atlanta, Georgia 30303By:  Reg. No. 35,645
Date: November 8, 2000
Telephone: 404.572.4600
Facsimile: 404.572.5145
Customer No. 20786JC952 U.S. PTO
09/708890

11/08/00

FEE TRANSMITTALAttorney Docket No. **16600.105005**

This sheet accompanies a patent application transmittal for the following application:

Inventor(s): Jeffrey Mark Bertram, Albert Edward Houck III
Filing Date: November 8, 2000
Title: Method and System for Providing Dynamic and Real-Time Air Travel Information

The filing fee is calculated as shown below:

1. FILING FEE:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input checked="" type="checkbox"/> UTILITY FILING FEE	\$355		\$710	710
<input type="checkbox"/> DESIGN FILING FEE	\$160		\$320	
<input type="checkbox"/> PLANT FILING FEE	\$245		\$490	
<input type="checkbox"/> REISSUE FILING FEE	\$355		\$710	
<input type="checkbox"/> PROVISIONAL FILING FEE	\$75		\$150	
SUBTOTAL (1)				\$710

2. CLAIMS:


FOR:	NO. FILED	NO. EXTRA	SMALL ENTITY		LARGE ENTITY	
			RATE	FEE	RATE	FEE
TOTAL CLAIMS	22 - 20 =	2	x 9 =		x 18 =	36
INDEP. CLAIMS	2 - 3 =	0	x 40 =		x 80 =	0
<input checked="" type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENTED			+135 =		+270 =	270
SUBTOTAL (2)						306

3. ADDITIONAL FEES:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input type="checkbox"/> LATE FILING, FEE OR OATH	\$65		\$130	
<input type="checkbox"/> NON-ENGLISH SPECIFICATION	\$130		\$130	
<input type="checkbox"/> OTHER				
SUBTOTAL (3)				0

TOTAL FILING FEES: \$1016A check is enclosed for the total amount: **\$1016**☒ Charge any additional fees required under 37 C.F.R. 1.16 or 1.17 or credit any overpayment to Deposit Account 11-0980.

KING & SPALDING
45th Floor, 191 Peachtree Street, N.E.
Atlanta, Georgia 30303
Telephone: 404.572.4600

By: 
W. Scott Petty, Attorney for Applicant
Reg. No. 35,645

Date: November 8, 2000

Method and System for Providing Dynamic and Real-Time Air Travel Information

Technical Field

5 The present invention relates to the presentation of air travel information. More specifically, the invention relates to providing passengers and other interested parties with dynamic and real-time air travel information.

Background of the Invention

10 As computer programs have advanced in the processing of air travel information, information has been provided to passengers, airport and airline personnel, and airport visitors, through computer monitors. The air travel information typically includes general air travel information, passenger information, flight information, and advertising information. This air travel information has usually been displayed on numerous computer monitors throughout
15 airports, particularly in the boarding areas. As this information can be provided to passengers at boarding areas, passengers no longer need to wait in line to have their air travel questions answered by a gate agent. The display of air travel information has also saved airline agents time and allowed the agents to focus on other activities in place of answering passenger questions.

20 The scope of air travel information provided to passengers in the prior art is limited to static information. The air travel information has not been provided in a dynamic and real-time fashion. Furthermore, conventional systems have not allowed the passengers to bypass agents in obtaining updated boarding documents or to receive standby status information. Passengers have been required to wait in sometimes lengthy lines to ask a gate agent for real-time air travel information, standby information, and new boarding documents.

25 In view of the foregoing, there is a current need in the art to automate the delivery of dynamic and real-time air travel information to passengers in a manner which reduces passenger wait time and which allows gate agents to focus on other responsibilities. In addition, there is a current need to prepare and present to the gate agent a representation of what is currently being displayed on the passenger information display via the agent's workstation. For example, there is

5

10

15

20

25

computer network. The workstation and the GIDS can display dynamic and real-time general air travel information, passenger information, flight information, and advertising information. The workstation can display this information to the agents while and the GIDS can display this information to passengers and other interested parties.

5 The aforementioned advantages of the invention, as well as additional advantages thereof, are more fully described by the detailed description of exemplary embodiments and the accompanying drawings.

Brief Description of the Drawings

10 FIG. 1 is a functional block diagram illustrating an exemplary embodiment which can report actions between a reservation system, a PIDS, a FPES, a workstation, a GIDS, and a computer network.

FIG. 2 is a functional block diagram illustrating an exemplary embodiment which can report actions between a GIDS master database, a GIDS manager, and a GIDS display.

15 FIG. 3 is a flow diagram illustrating a process of activating a screen file for GIDS in an exemplary embodiment of the present invention.

FIG. 4 is a flow diagram illustrating an overview of an exemplary method for providing updated air travel information.

20 FIG. 5 is a flow diagram illustrating a process for showing activated idle mode screens in a prioritized order.

FIG. 6 is a flow diagram illustrating a process for showing activated departure mode screens in a prioritized order.

FIG. 7 is a flow diagram illustrating a process for showing activated boarding mode screens in a prioritized order.

25 FIG. 8 is a screen display illustrating an exemplary embodiment of a standby list screen for presentation by GIDS.

FIG. 9 is a screen displays illustrating an exemplary embodiment of an upgrade list screen for presentation by GIDS.

30 FIG. 10 is a screen display illustrating an exemplary embodiment of a cleared standby list screen for presentation by GIDS.

Detailed Description of Exemplary Embodiments

The present invention provides a method and system for providing dynamic and real-time air travel information. This air travel information typically comprises flight information, passenger information, and other general information.

5 Flight information is displayed in real-time with minimal interaction from the gate agent. Flight events, such as delays, cancellations and gate changes, are sent directly to the screens through a sophisticated data delivery system that connects them to an airline's operations computers. Answers to passengers' most frequently-asked questions appear on screens, allowing passengers to avoid waiting in line to talk to a gate agent. The present invention also allows gate
10 agents to efficiently use their time in the boarding process and assist passengers with their individual needs.

The passenger information typically comprises information on when it is a passenger's turn to board, when the passenger has obtained a seat assignment, and when the passenger has been cleared to board. Rather than having a computer monitor tell the agent this information, and then having the agent tell the passenger, the passenger information display will complete
15 these tasks in one step. The airline has eliminated the entire distribution step of talking to the agent and then having the agent interface with the passenger. Now the presentation system communicates certain passenger related information directly to the passenger. This releases the burden on the agent, and gives the passenger a direct interface with the system.

20 General information can include pre-programmed messages. The system can quickly post these messages without distracting the agents from passenger service duties. Some pre-programmed messages include: airport facility information, airline policies, and weather conditions.

For an exemplary embodiment, within a predetermined amount of time of the departure
25 of a flight from a gate, the system will display idle mode screens on a passenger information display. Idle mode screens show general air travel information and advertising information. The system displays idle mode screens until it recognizes a flight departure from its gate within 75 minutes, at which point it cycles to departure mode. From this point until departure time, flight-specific information will constantly be displayed in a left-hand blue window on the computer
30 monitor. The left-hand window of the computer monitor will run through the departure mode

screens, which are screens with general air travel information, flight information, and advertising information. The information displayed on both windows of the computer monitor is dynamic and real-time.

Once the plane is ready for boarding, the system will cycle from departure mode to boarding mode. The left-hand window of the computer monitor will run through the boarding mode screens, which are screens with general air travel information, flight information, passenger information, and advertising information. An important component is that the system displays standby information to passengers that currently is shown only to agents. The passengers are able to see that they have been cleared to board, and what their seat assignment is.

In addition, the passengers can board immediately, and don't have to see the agent to get a new boarding card. If the passenger is standing by for an upgrade, the passenger can board with the original coach boarding pass. The workstation scans the ID from the boarding pass, recognizes that the passenger has a new seat, and prints a seating confirmation receipt during boarding. If the passenger is standing by for a seat, the workstation issues a bar-coded confirmation card when the passenger is added to the standby list. The workstation scans this card, identifies the passenger, and prints a seating confirmation receipt at the boarding door. The receipt usually takes about a second to print, so the boarding process can continue at normal speed, while completely eliminating the boarding card distribution step.

FIGs. 1-2 are block diagrams illustrating components of an exemplary embodiment of the present system. FIGs. 3-7 are flow diagrams illustrating exemplary methods for providing updated passenger information. FIGs. 8-10 are screen displays illustrating an exemplary embodiment of the current invention.

Those skilled in the art will recognize that the present invention may be implemented in a stand-alone or in a distributed computing environment. In a distributed computing environment, program modules may be physically located in different local and remote memory storage devices. Execution of the program modules may occur locally in a stand-alone manner or remotely in a client/server manner. Examples of such distributed computing environments include local area networks of an office, enterprise-wide computer networks, and the global Internet.

Referring now to the drawings, in which like numerals represent like elements throughout the several figures, aspects of the present invention and an exemplary operating environment will be described.

System Architecture

Turning now to FIG. 1, an exemplary embodiment of the present invention is described. FIG. 1 is a functional block diagram illustrating the components of an exemplary presentation system. This exemplary system 100 comprises a reservation system 105, a Passenger Information Delivery System ("PIDS") 110, a Flight Progress Event System ("FPES") 115, a gate workstation ("workstation") 120, a Gate Information Display System ("GIDS") 125, and a computer network 121.

The reservation system 105 is the legacy database of record. This reservation system 105 holds all information about passengers and flights that will be maintained, updated, and displayed to the passengers. This system operates by query and response, and displays information for one passenger or one flight at a time. This includes information input by the gate agent, the ticket agent, kiosks, etc.

The PIDS 110 is a distributed data system for passenger information, consisting of an Oracle database and dynamic subscription service. The PIDS 110 provides real-time passenger information to the workstation 120.

The FPES 115 is Delta's distributed data system for flight information. The FPES 115 provides database and subscription data for flights in the same way the PIDS 110 provides these services for passenger data.

The gate workstation 120 is a workstation used by the gate agents. The workstation 120 is usually a personal computer which displays current information for all passengers and flights. In an exemplary embodiment, there are multiple workstations 120. The workstations 120 use the application Cornerstone.

The workstation 120 has a gate reader 130, which is a peripheral device attached to the workstation 120. The gate reader 130 consists of bar code and magnetic scanning devices and a thermal receipt printer. When the gate reader 130 uses the bar code and scanning devices to scan boarding information, it forwards the data to the workstation 120. The workstation 120 evaluates

The GIDS 125 is a passenger information display that presents responses to frequently asked questions and general flight information for passengers in a manner which frees gate agents from this duty and allows them to focus on other responsibilities. The GIDS 125 displays dynamic and real-time air travel information on a series of screens shown on a computer monitor. The air travel information can comprise general air travel information, passenger information, flight information, and advertising information.

received seat assignments and are eligible to board.

Flight information comprises flight events, such as delays, cancellations and gate changes. Flight information is sent directly to the screens through a sophisticated data delivery system that connects them to the reservation system **105**. Agents may choose to display situational information by selecting from a list of pre-programmed messages or other display features, including: advisories that no seat changes or upgrades are available, seat charts, passenger boarding sequences, meal service information, and flight duration information. The GIDS **125** subscribes to event information from the reservation system **105**.

The GIDS **125** allows the gate agent to see what is currently being displayed on the GIDS **125**, to remove information from public display, and to manage the presentation of boarding information to the passenger via the agent's workstation **120**. The GIDS **125** supports multiple languages and provides configurable displays that can readily adapt to airport and facility restrictions and preferences.

The computer network **121** is a widely used local area network communications system. The computer network **121** allows the reservation system **105**, the PIDS **110**, the FPES **115**, the workstation **120**, and the GIDS **125** to communicate with each other.

All changes to flight or passenger information are stored in the reservation system **105**. The reservation system **105** forwards passenger information to the PIDS **110** and flight information to the FPES **115** through the computer network **121**. The PIDS **110** and the FPES **115** forward this passenger information and flight information to the workstation **120** through the computer network **121**. The Internet can obtain general air travel information from the world wide web and pass it to the workstation **120**. The workstation **120** forwards the general air travel information, the passenger information, the flight information, and the advertising information to the GIDS **125** through the computer network **121**. The workstation **120** and the GIDS **125** display the general air travel information, the passenger information, the flight information, and the advertising information. The workstation **120** displays this information to the agents, and the GIDS **125** displays this information to the passengers.

FIG. 2 is a block diagram illustrating an exemplary embodiment of the GIDS **125** internal components. The GIDS **125** comprises a GIDS master database **205**, a GIDS manager **210** and a GIDS display **215**. The GIDS master database **205** comprises an active loop database **225**. Both the GIDS master database **205** and the active loop database **225** contain screen files **230**. The screen files **230** hold information on what will be shown on a particular screen, when the screen will be shown, and how long to show the screen. The GIDS master database **205** holds the screen files **230** for all possible screens. The active loop database **225** holds the activated screen files **230**. The GIDS manager **210** maintains a list of activated screens files and the content of those screens files. The GIDS manager **210** moves the activated screen files **230** to the GIDS display. The GIDS manager **210** contains an internal clock **230** that determines when and for how long screens are shown. The GIDS display **215** shows the screens on the computer monitor for the screen files **230** that the GIDS manager **210** sends the GIDS display.

The Modes and Screen Priority

There are three modes of operation: idle mode, departure mode, and boarding mode. Each mode has certain activated screens that are shown in that mode. Screens can be activated in three ways: pre-flagged as activated, flagged as activated by the agent accessing GIDS, or flagged as activated due to an event passed through the reservation system **105** or the Internet. Screens are prioritized in the idle mode, the departure mode, and the boarding mode. As screens

of a higher priority become activated, the lower priority screens are dropped. However, a screen will never be dropped while the passengers are looking at it.

Idle mode screens are screens that hold general air travel information and advertising information and are shown 75 or more minutes before the flight departure. Departure mode screens are screens that hold general air travel information, flight information, and advertising information. Departure mode screens are shown less than 75 minutes before the flight departure, but before boarding mode. Boarding mode screens include screens with air travel information, passenger information, flight information, advertising information, and boarding information. Boarding mode screens are shown while a flight is boarding. Tables I, II, and III indicate the screens shown in idle mode, departure mode, and boarding mode.

Table I: Idle Mode Screens Listed According to Priority

1. **Cell Phones Screen.** This displays the airline policy regarding cell phones.
- Boarding Sequence Screen.** This describes standard boarding procedures.
- Dash Ad Screen.** This is an advertisement.
- Delta.com Screen.** This is an advertisement.
- SkyTeam Screen.** This is an advertisement.
- Arriving Flight Delayed Screen.** This gives the new estimated arrival time. The agent can add the reason for delay.
- Arriving Flight Cancelled Screen.** This indicates that the scheduled arriving flight has been cancelled.
- Arriving Flight Gate Change Screen.** This displays the new gate assignment for arriving flight.
- Departing Flight Delayed Screen.** This gives the new estimated departure time. The agent can add the reason for delay.
- Departing Flight Cancelled Screen.** This indicates that the scheduled departing flight has been cancelled.
- Departing Flight Gate Change Screen.** This displays new gate assignments for departing flight.

2. **Next Arrival at This Gate Screen.** This screen gives the flight number, city, and estimated arrival time of the next arrival.
3. **Next Departure from This Gate Screen.** This screen gives the flight number, city, and estimated departure time for the next departure.
- 5 4. **Estimated Check-In Time Screen.** This screen displays the time that agents will be checking in passengers for the next flight.
5. **Do You Have a Boarding Card Screen.** This screen displays an illustration of a boarding card to reassure passenger that they are ready for boarding.
6. **Restroom Information Screen.** This screen gives directions from the gate to the nearest restrooms.
- 10 7. **Carry-On Baggage Guidelines Screen.** This screen displays the carry-on baggage policy.
8. **Crown Room Club Screen.** This screen give the hours and directions to the Crown Room Club.
- 15 9. **Reservations and Seat Assignment Screen.** This screen describes policies regarding the release of seats and reservations.
10. **Introductory Screen.** Each origin city has its own unique introductory screen.

Table II: Departure Mode Screens Listed According to Priority

- 20 1. **Standby List Screen.** This lists the names of the passengers, in prioritized order, that are on the standby list. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.
- Standby Upgrade List Screen.** This screen lists the name of the passengers, in prioritized order, that are on the standby upgrade list. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.
- 25 **Standby Cleared List Screen.** This screen lists the name of the passengers, in prioritized order, that have cleared the standby list and have a seat available on the flight. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.
- 30

Cell Phones Screen. This displays the airline policy regarding cell phones.

Destination Weather Screen. This screen displays the current conditions and four day forecast followed by a weather screen.

Regional Weather Screen. This screen displays the regional weather.

5 **Arriving Flight Delayed Screen.** This gives the new estimated arrival time. The agent can add the reason for delay.

Arriving Flight Cancelled Screen. This indicates that the scheduled arriving flight has been cancelled.

10 **Arriving Flight Gate Change Screen.** This displays the new gate assignments for arriving flights.

Departing Flight Delayed Screen. This gives the new estimated departure time. The agent can add the reason for delay.

Departing Flight Cancelled Screen. This indicates that the scheduled departing flight has been cancelled.

15 **Departing Flight Gate Change Screen.** This displays new gate assignments for departing flights.

Equipment Change Screen. This indicates that the original aircraft has been substituted by another.

20 **Standby List Closed Screen.** This indicates that agents are unable to add any more names to the standby list.

Flight Full Screen. This indicates that the airline is unable to accommodate standby passengers due to a full flight.

Free-Form Messages Screen. This screen allows the agent to input any message.

25 **No Seat Changes Screen.** This indicates that passengers are not allowed to change their seats.

Upgrade List Closed Screen. This indicates that agents are unable to add any more names to the upgrade standby list.

Requesting Volunteers Screen. This asks for volunteers in the gate area in overbooked flight situations.

00970880 "110800

Standby Customers Wait Until Called Screen. This asks standby customers to wait until their name is called.

- 5

10

- 15

- Standby List Screen.** This lists the names of the passengers, in prioritized order, that are on the standby list. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.

Standby Upgrade List Screen. This screen lists the name of the passengers, in prioritized order, that are on the standby upgrade list. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.

Standby Cleared List Screen. This screen lists the name of the passengers, in prioritized order, that have cleared the standby list and have a seat available on the flight. Privacy is maintained as only the first three letters of the passenger's last name, and the first letter of the passenger's first name, are shown on the screen.

Arriving Flight Delayed Screen. This gives the new estimated arrival time. The agent can add the reason for delay.

Arriving Flight Cancelled Screen. This indicates that the scheduled arriving flight has been cancelled.

Arriving Flight Gate Change Screen. This displays the new gate assignment for arriving flights.

Departing Flight Delayed Screen. This gives the new estimated departure time. The agent can add the reason for delay.

Departing Flight Cancelled Screen. This indicates that the scheduled departing flight has been cancelled.

Departing Flight Gate Change Screen. This displays new gate assignments for departing flights.

Equipment Change Screen. This indicates that the original aircraft has been substituted by another.

Standby List Closed Screen. This indicates that agents are unable to add any more names to the standby list.

Flight Full Screen. This indicates that the airline is unable to accommodate standby passengers due to a full flight.

Free-Form Messages Screen. This screen allows the agent to input any message.

No Seat Changes Screen. This indicates that passengers are not allowed to change their seats.

Upgrade List Closed Screen. This indicates that agents are unable to add any more names to the upgrade standby list.

Requesting Volunteers Screen. This asks for volunteers in the gate area in overbooked flight situations.

Confirmed Customers Please Wait Until Called Screen. This asks confirmed customers to wait until their name is called.

Standby Customers Wait Until Called Screen. This asks standby customers to wait until their name is called.

2. **Boarding Sequence Screen.** This describes standard boarding procedures.

3. **Destination Weather Screen.** This screen displays the current conditions and four day forecast followed by a weather screen.

4. **Regional Weather Screen.** This displays the regional weather.

5. **Flight Time Screen.** This gives the estimated flight duration and time of arrival into the destination city.

6. **Airline Partners Screen.** This welcomes codeshare passengers.

7. **Meals Screen.** This screen provides information on the beverage service or type of meal served on the flight.

Remember your SkyDeli Screen. This reminds passengers to pick up a snack when boarding.

8. **Seating and Statistics Screen.** This screen displays the seat map for the aircraft type, with statistics such as cruising speed, etc.

9. **Estimated Check-In Time Screen.** This screen displays the time that agents will be checking in passengers for the next flight.

10. **Do You Have a Boarding Card Screen.** This screen displays an illustration of a boarding card to reassure passengers that they are ready for boarding.

11. **Carry-On Baggage Guidelines Screen.** This screen displays information on the carry-on baggage policy.

12. **Unticketed Infants Screen.** This reminds passengers that unticketed infants must be accounted for on their boarding card.

The Flow Diagrams

FIG. 3 is a flow diagram illustrating the process of activating a screen file 230. As indicated above, screens can be activated in three ways: pre-flagged as activated, flagged as activated by the agent using the GIDS, or flagged as activated by an event passed through the reservation system 105 or the Internet. FIG. 3 illustrates the process of activating a screen file 230 by automatically flagging a screen file 230 as activated through the reservation system 105 or the Internet. In step 305, the reservation system 105 receives passenger information or flight information. In step 306, the Internet receives general air travel information. In step 310, the reservation system 105 passes passenger information to the PIDS 110. In step 315, the reservation system 105 passes the flight information to the FPES 115. In step 320, the PIDS 110 passes the passenger information to the workstation 120. In step 325, the FPES 110 passes the flight information to the workstation 120. In step 330, the Internet passes the general air travel information to the workstation 120. In step 335, the workstation 120 passes the passenger information, the flight information, or the general air travel information to the GIDS manager 210. In step 340, the GIDS manager 210 passes the passenger information, the flight information, or the general air travel information to the screen file 230. When the screen file 230 receives this information, the screen file 230 is flagged as active.

FIG. 4 is a flow diagram illustrating an overview of an exemplary method for providing dynamic and real-time air travel information. In step 405, the GIDS display 215 shows the activated idle mode screens. In step 410, the GIDS manager 210 asks if it is 75 minutes before a departure. To do this the GIDS manager 210 looks at a list of departing flights published on the computer network 121. The GIDS manager 210 knows it is monitoring a flight at a specific gate (for example, gate 6), and asks if there are any flights departing from that gate. If the answer is "yes" and there is a flight departing from that gate, the GIDS manager 210 asks if that flight is departing within 75 minutes. The GIDS manager 210 is continually monitoring the computer system 121 for flight information and comparing it to the GIDS manager's internal clock 230 to see if it is 75 minutes before the flight.

If the answer to step **410** is "no" and it is not 75 minutes before the departure, the process goes back to step **405** and the GIDS display **215** shows the activated idle mode screen. If the answer to step **410** is "yes" and it is 75 minutes before a departure, the process moves to step **415**, and the GIDS display **215** shows the activated departure mode screens in a prioritized order.

In step **425**, the agent using the workstation **120** decides whether or not to enter boarding mode. If the answer to step **425** is "no", and the agent does not want to enter boarding mode, the process skips back to step **415**, and the GIDS display **215** shows the activated departure mode screens in prioritized order. If the answer to step **425** is "yes", and the agent does want to enter boarding mode, the process moves to step **430**, and the GIDS display **215** shows the activated boarding mode screens in a prioritized order. When the flight departs in step **440**, the GIDS **125** exits from supporting that flight. The process returns to step **405** and is repeated.

As the process illustrated in FIG. **4** is run, the agent can, at any time, activate or inactivate certain screens. The agent does this by accessing the relevant screen file **230** through the GIDS, and turning on or off the activated flag.

FIG. **5** is a flow diagram illustrating the process of the GIDS display **215** showing the activated idle mode screens in a prioritized order, as set forth in step **405** of FIG. **4**. In step **515**, the GIDS manager **210** takes all activated idle mode priority 1 screens and passes them to the GIDS display **215**. In step **530**, the GIDS manager **210** asks if there is space for all activated idle mode screens of the next priority. If the answer to step **530** is "yes" and there is space for all idle mode screens of the next priority, the process moves to step **535**, and the GIDS manager **210** takes all activated idle mode screens of the next priority and passes them to the GIDS display **215**. The process then moves back to step **530**. If the answer to step **530** is "no" and there is not space for all activated idle mode screens of the next priority, the process skips to step **555**, and the GIDS display **215** shows all activated idle mode screens sent by the GIDS manager **210**. The process then moves to step **410** of FIG. **4**.

FIG. **6** is a flow diagram illustrating the process of the GIDS display **215** showing the activated departure mode screens in a prioritized order, as set forth in step **415** of FIG. **4**. In step **615**, the GIDS manager **210** takes all activated departure mode priority 1 screens and passes them to the GIDS display **215**. In step **630**, the GIDS manager **210** asks if there is space for all activated departure mode screens of the next priority. If the answer to step **630** is "yes" and there

is space for all departure mode screens of the next priority, the process moves to step **635**, and the GIDS manager **210** takes all activated departure mode screens of the next priority and passes them to the GIDS display **215**. The process then moves back to step **630** and is repeated. If the answer to step **630** is "no" and there is not space for all activated departure mode screens of the next priority, the process skips to step **655**, and the GIDS display **215** shows all activated departure mode screens sent by the GIDS manager **210**. The process then moves to step **425** of FIG. 4.

FIG. 7 is a flow diagram illustrating the process of the GIDS display **215** showing the activated boarding mode screens in a prioritized order, as set forth in step **430** of FIG. 4. In step **715**, the GIDS manager **210** takes all activated boarding mode priority 1 screens and passes them to the GIDS display **215**. In step **730**, the GIDS manager **210** asks if there is space for all activated boarding mode screens of the next priority. If the answer to step **730** is "yes" and there is space for all boarding mode screens of the next priority, the process moves to step **735**, and the GIDS manager **210** takes all activated boarding mode screens of the next priority and passes them to the GIDS display **215**. The process then moves back to step **730** and is repeated. If the answer to step **730** is "no" and there is not space for all activated boarding mode screens of the next priority, the process skips to step **755**, and the GIDS display **215** shows all activated boarding mode screens sent by the GIDS manager **210**. The process then moves to step **440** of FIG. 4.

The Screen Displays

FIG. 8 is a screen display illustrating the standby list screen. There are two main windows in the screen **800**. The window **805** on the left shows the flight information that is shown on every screen when the mode is departure mode or boarding mode. The window **810** on the right shows the standby list window. The title of the screen "Standby List" **801** is shown. The airline logo **802** is shown. The explanatory note **815** indicates that the list is ordered by priority. There is a column **820** for the priority number of the passenger, and then there is a name column **825** that indicates the passengers name. As shown in **830**, the passenger whose last name has the first three letters "CRE", and whose first name begins with an "M", is the passenger listed 2nd on the standby list. Line **835** shows the column names for seat summary,

with first and coach. Line **840** shows that the seats that are checked in first class are 24, and those in coach are 131. The line **845** shows that the reserved seats in first class are 2, and those in coach are 21. The line **850** shows that the seats available in first class are 0, and the seats available in coach are 7.

FIG. 9 is a screen display illustrating the upgrade list screen. There are two main windows in the screen **900**. The window **905** on the left shows the flight information that is shown on every screen when the mode is departure mode or boarding mode. The window **910** on the right shows the upgrade list window. The title of the screen "Upgrade List" **901** is shown. The airline logo **902** is shown. The time **903** is also indicated. The explanatory note **915** indicates that the list is ordered by priority. There is a column **920** for the priority number of the passenger, and then there is a name column **925** that indicates the passengers name. As shown in **930**, the passenger whose last name has the first three letters "COL", and whose first name begins with an "S", is the passenger listed 3rd on the standby list. Line **935** shows the column names for seat summary, with first and coach. Line **940** shows that the seats that are checked in first class are 24, and those in coach are 131. The line **945** shows that the reserved seats in first class are 2, and those in coach are 21. The line **950** shows that the seats available in first class are 0, and the seats available in coach are 7.

FIG. 10 is a screen display for the cleared standby list. The title of the screen "Cleared Standbys" **1005** is provided. The explanation **1011** is also shown. The airline logo **1006** is also indicated. In addition, the time **1010** is also indicated. There is a name column **1015**, and the first name **1020** indicates that the person whose last name starts with "Tro" and whose first name starts with "B" has a seat available, and can go ahead and board with the original boarding pass.

The present invention has been described in relation to particular embodiments which are intended in all respects to be illustrative rather than restrictive. Alternative embodiments will become apparent to those skilled in the art to which the present invention pertains without departing from its spirit and scope. Accordingly, the scope of the present invention is defined by the appended claims rather than the foregoing description.

Claims

What is claimed is:

5 1. A computer-implemented system for providing dynamic and real-time air travel information, comprising:

a reservation system for holding the information;

a passenger information delivery system ("PIDS") for providing the information;

a flight progress event system ("FPES") for providing the information;

10 one or more gate workstations for displaying the information to agents;

one or more gate information display systems ("GIDS") for displaying the information to passengers and other interested parties;

an Internet for passing the information from the world wide web to the workstation and the GIDS; and

15 a computer network for passing the information to and from the reservation system, the PIDS, the FPES, the workstation, and the GIDS.

2. The system of claim 1, wherein the workstation comprises a gate reader for scanning and updating the information.

20 3. The system of claim 2, wherein the gate reader comprises:

a scanning device for scanning the information; and

a printer for printing the information.

25 4. The system of claim 1, wherein the GIDS comprises:

a GIDS manager for maintaining activated screen files, which are screen files holding information about what will be displayed on screens that have been activated;

a GIDS master database for storing the screen files; and

a GIDS display for showing screens using the activated screen files.

- 5

8. The computer-implemented process for providing updated air travel information, comprising the steps of:

showing the passengers activated idle mode screens, the activated idle mode screens being screens holding the information shown more than a predetermined time period before a flight departure and turned to active;

asking if it is the predetermined time period before the flight departure;

if it is not the predetermined time period before the flight departure, showing the activated idle mode screens;

if it is the predetermined time period before the flight departure, showing activated departure mode screens, the activated departure mode screens being screens displaying the information shown after the predetermined time period before the flight departure and turned to active;

having the agent decide whether or not to show activated boarding mode screens, the activated boarding mode screens being screens displaying the information shown prior to boarding and turned to active;

showing the activated departure mode screens if the agent decides not to show the activated boarding mode screen; and

showing the activated boarding mode screens if the agent decides to show the activated boarding mode screens.

9. The process of claim 8, wherein the information comprises advertising information.

10. The process of claim 8 or 9, wherein activating the screens comprises:

pre-flagging a screen as activated;

flagging a screen as activated using an agent; and

flagging a screen as activated using the information.

11. The process of claim 10, wherein flagging a screen as activated using the information comprises:

10

20

14. The process of claim 8 or 9, wherein the boarding mode screens comprise standby screens with dynamic and real-time passenger seat information.

15. The process of claim 14, wherein the standby seat information comprises:

a regular standby screen for displaying passenger names, in a prioritized order, of passengers waiting for a seat;

an upgrade standby screen for displaying passenger names, in a prioritized order, of passengers waiting for an upgraded seat; and

a cleared standby screen for displaying passenger names, in a prioritized order, that have been cleared to board.

16. The process of claim 14, wherein the process of displaying passenger names is done while preserving the privacy of the passenger.

17. The process of claim 8 or 9, further comprising:

having a passenger present a previously-issued scannable document at the workstation;

having the workstation determine the passenger's boarding eligibility and current seat assignment; and

having the workstation print a seat assignment receipt, allowing the passenger to board without agent intervention.

008077" 05880250

5

10

15

K&S Docket No. 16600.105005

FIG. 2





FIG. 3



400




FIG. 5




FIG. 6

415




FIG. 7




FIG. 8




FIG. 10

1000

1006 1005 1010

Gate T6

Flt 788
Arrives: 3:00p
Los Angeles, CA

Flt 1062 (AF5633)
Departs: 4:25p
Miami, FL

Delta Air Lines 2:00p

Cleared Standbys
Seats are now available for the following customers:

Name	Name	Name
Tro/B	Cru/G	
Ber/J	Men/D	
Cre/M	Sis/P	
Hou/C	McC/J	
Gig/D	Gra/B	
Wat/H		
Fer/S		
Nut/S		
Abr/T		
Mar/R		

Please see boarding agent

1011
1015
1020

DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No. 16600.105005

In re Application of: Jeffrey Mark Bertram and Albert Edward Houck III

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **Method and System for Providing Dynamic and Real-Time Air Travel Information**, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.*

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>
1	1/1/2020	2	1/1/2020
3	1/1/2020	4	1/1/2020
5	1/1/2020	6	1/1/2020
7	1/1/2020	8	1/1/2020
9	1/1/2020	10	1/1/2020
11	1/1/2020	12	1/1/2020
13	1/1/2020	14	1/1/2020
15	1/1/2020	16	1/1/2020
17	1/1/2020	18	1/1/2020
19	1/1/2020	20	1/1/2020
21	1/1/2020	22	1/1/2020
23	1/1/2020	24	1/1/2020
25	1/1/2020	26	1/1/2020
27	1/1/2020	28	1/1/2020
29	1/1/2020	30	1/1/2020
31	1/1/2020	32	1/1/2020
33	1/1/2020	34	1/1/2020
35	1/1/2020	36	1/1/2020
37	1/1/2020	38	1/1/2020
39	1/1/2020	40	1/1/2020
41	1/1/2020	42	1/1/2020
43	1/1/2020	44	1/1/2020
45	1/1/2020	46	1/1/2020
47	1/1/2020	48	1/1/2020
49	1/1/2020	50	1/1/2020
51	1/1/2020	52	1/1/2020
53	1/1/2020	54	1/1/2020
55	1/1/2020	56	1/1/2020
57	1/1/2020	58	1/1/2020
59	1/1/2020	60	1/1/2020
61	1/1/2020	62	1/1/2020
63	1/1/2020	64	1/1/2020
65	1/1/2020	66	1/1/2020
67	1/1/2020	68	1/1/2020
69	1/1/2020	70	1/1/2020
71	1/1/2020	72	1/1/2020
73	1/1/2020	74	1/1/2020
75	1/1/2020	76	1/1/2020
77	1/1/2020	78	1/1/2020
79	1/1/2020	80	1/1/2020
81	1/1/2020	82	1/1/2020
83	1/1/2020	84	1/1/2020
85	1/1/2020	86	1/1/2020
87	1/1/2020	88	1/1/2020
89	1/1/2020	90	1/1/2020
91	1/1/2020	92	1/1/2020
93	1/1/2020	94	1/1/2020
95	1/1/2020	96	1/1/2020
97	1/1/2020	98	1/1/2020
99	1/1/2020	100	1/1/2020

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Katie E. Sako-32,628; Daniel D. Crouse-32,022; Lisa Norton-44,977.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at (404) 572-4600

W. Scott Petty

Full name of first inventor: Jeffrey Mark Bertram	Citizenship: USA
Inventor's signature <i>Jeffrey Mark Bertram</i>	Date: Nov. 7, 2000
Residence and Post Office Address: 104 Seven Oaks, Peachtree City, GA 30269	

